



## Birds from Pu Luong Nature Reserve, Thanh Hoa Province, North Vietnam: an update on biodiversity and checklist

Hung Ngoc Hoang<sup>1,2</sup>, Son Hung Lan Nguyen<sup>2,\*</sup>, Cu Nguyen<sup>3</sup>

<sup>1</sup>Hong Duc University, 565 Quang Trung Street, Dong Ve Ward, Thanh Hoa City, Vietnam.

<sup>2</sup>Faculty of Biology, Hanoi National University of Education, 136 Xuan Thuy Road, Cau Giay District, Ha Noi, Vietnam.

<sup>3</sup>Institute of Ecology and Biological Resources, Vietnam Academy of Science and Technology, 18 Hoang Quoc Viet, Cau Giay District, Ha Noi, Vietnam.

\*Corresponding author. Son Hung Lan Nguyen, Associate Professor, Faculty of Biology, Hanoi National University of Education, 136 Xuan Thuy Road, Cau Giay District, Ha Noi, Vietnam, Email: [sonnlh@hnue.edu.vn](mailto:sonnlh@hnue.edu.vn), Tel.:+84-903212615.

**Academic Editor:** Dr. Md Jamal Uddin, Ewha Womans University, South Korea.

Received: 01 October 2019; Accepted: 15 November 2019; Published: 19 January 2020.

**ABSTRACT:** Combining use of various methods of bird study from line transect observations, birds capture and release by mist-nets, collection of specimens from local people and analysis of samples kept at Pu Luong Nature Reserve (NR) office throughout the time from 2015 to 2018 and inherit the results of previous studies, we provide an updated list of 252 species of bird belonging to 58 families and 15 orders from Pu Luong NR, Thanh Hoa Province, North Vietnam.. A total of 216 species of birds were recorded during four years. In which, 74 species are reported for the first time from this nature reserve, and 41 species are first records for the avifauna of Thanh Hoa Province. Additional, the data of distribution characters of avifauna in each study site are also provided. According to the International Union for the Conservation of Nature (2019), five species were in the Near Threatened category and three species were in the vulnerable category. Compared to 6 other National Park (NP) and NR in the North Central Coast of Vietnam, the avifauna in Pu Luong NR is close to the avifauna in Pu Hu NR. There are 89 common bird species recorded in all 7 NP and NR, while there are 15 species recorded only in Pu Luong NR. Birds are considered as good bio-indicators of the degree of human disturbance to the forest ecosystem. Observing changes in bird community can assess the status of the forest in the future.

**KEYWORDS:** Birds, updated list, distribution, Pu Luong Nature Reserve, conservation.

### INTRODUCTION

Vietnam is one of the countries with the richest of avifauna in Southeast Asia. The total number of birds recorded from 828 in 1999 [1] to 887 in 2011 [2] and may be up to 943 species in 2019 [3]. Vietnam is home to 19 endemic bird species and subspecies groups, and another 27 near-endemic species, the largest number of any country in mainland South-East Asia [4]. The Government of Vietnam has planned a national special-use forests system to conserve and develop sustainably important natural ecosystems and endangered, precious and rare wildlife including 34 NP, 58 NR, 14 habitat and species conservation areas, 61 ecological landscape protection areas, nine forest scientific experiment sites [5]. The investigation of the updated list of species in

protected areas has important implications in the management, protection and sustainable development of forest resources.

Pu Luong NR was established in 1999 to conserve typical ecosystems, flora and fauna species of lowland areas on Limestone Mountains. These are located in North Central Coast of Vietnam with a total area of 17,171.53 ha (according to the adjusted plan of 2013), the Pu Luong NR is divided into three functional subdivisions: strict protection subdivision (12,561.60 ha), forest rehabilitation subdivision (4,300.40 ha) and administrative and service subdivision (216.03 ha), other land (93 ha). With the beautifully and typically ecological landscape of high mountains ranging from 60 to 1,667m above sea level, the highest peak is Pu Luong

Mountain, Pu Luong NR attracts many international tourists to visit and home stay. The diversity of habitat and topography has created a diversity of bird species here including resident and migratory birds. It is likely that Pu Luong has strong avifauna affinities with Cuc Phuong National Park, which is situated to 25km to the south-east, along the same limestone range. However, the higher elevations at Pu Luong NR and the presence of more extensive areas of evergreen forest means that Pu Luong NR can be expected to support a number of species that are not present at Cuc Phuong [6]. The results of bird survey of Le and Do (1998) recorded 169 bird species in Pu Luong NR [7]. The recent study of Trinh et al. (2013) in Pu Luong NR recorded 117 bird species [8]. Our research for 4 years from 2015 to 2018 has continued to update and supplement bird species for this area. New records for the region, those not recorded, species and areas of conservation priority are discussed in this study.

## MATERIALS AND METHODS

### Study area

Pu Luong NR is the first point of forest ecosystems on the limestone range Pu Luong - Ngoc Son, Ngo Luong - Cuc Phuong with two parallel mountain ridges that run from north-west to south-east, and are bisected by a central valley. This valley contains several human settlements and a large area of agricultural land and hence, is not included within the nature reserve area. The coordinates of Pu Luong NR: 20°21'- 20°34'N, 105°02'- 105°20'E. The two mountain ridges in the NR have starkly contrasting landforms, based on their different substrates. The smaller, south-western ridge is made up of mostly igneous and metamorphic rocks, and consists of rounded forested hills and wide, shallow valleys. The larger, north-eastern ridge is composed of heavily dissected limestone karsts, and is a continuation of the limestone range that runs from Cuc Phuong National Park to Son La province [6].

The primary forest at Pu Luong NR is classified as closed evergreen tropical seasonal forest. Five major subtypes occur as a result of local variations in underlying substrate and elevation: lowland broadleaved forest on limestone (60 to 700m); lowland broadleaved forest on schist/shale and clayey sandstone (60 to 1,000m); broadleaved submontane forest on limestone (700 to 850m); and broadleaved submontane forest on basalt (1,000 to 1,650m). The NR also supports a range of secondary vegetation types, including secondary forests, bamboo, scrub and agricultural land [9].

Bird survey was conducted in eight areas along the two mountain ridges of Pu Luong NR. Characteristics of the study areas are described briefly in Table 1.

**Table 1.** Brief description of habitat at each study area has been visited between 2014 and 2018 in Pu Luong Nature Reserve.

Study site	Coordinates	Description; habitat and altitude (m)
Area 1. Eo Dieu village (Co Lung commune)	20°25'42.3''- 20°26'43.9''N, 105°14'0.4''- 105°15'00''E	Scrub, grassland, secondary forests and primary evergreen forests in limestone is less affected by human in upland peak (621-872m above sea level).
Area 2. Son, Ba, Muoi village (Lung Cao commune)	20°29'27.3''- 20°30'08.5''N, 105°12'08.6''- 105°12'52.1''E	Scrub, secondary forests in limestone and agriculture land (720-912m above sea level).
Area 3. Kit village (Lung Cao commune)	20°31'51.4''- 20°33'20.9''N, 105°06'36''- 105°07'18''E	Scrub, agriculture land and secondary forests and primary evergreen forests in limestone is affected by human (470-600m above sea level).
Area 4. Thung Hang valley (Thanh Son commune)	20°29'50''- 20°31'35.8''N, 105°05'47.8''- 105°06'50''E	Scrub, grassland, secondary forests in limestone (476-615m above sea level).
Area 5. Mo village (Phu Xuan commune)	20°29'33.3''- 20°36'47.5''N, 105°02'53.5''- 105°03'54.2''E	Scrub, agriculture land, secondary forests in soil mountain (674-731m above sea level)
Area 6. Eo Ken village (Thanh Son commune)	20°29'10.7''- 20°30'10.1''N, 105°04'41.4''- 105°05'20''E	Scrub, grassland, secondary forest (912-1,129m above sea level).
Area 7. Pa Kha village (Thanh Son commune)	20°27'59''- 20°28'35.2''N, 105°05'55.6''- 105°06'24''E	Secondary forest, primary evergreen forests in bazan is less affected by human. This area has highest peak of Pu Luong NR (846-1,537m above sea level).
Area 8. Leo, Bam village (Thanh Lam commune)	20°25'10''- 20°26'30''N, 105°07'43'' - 105°09'43.2''E	Agricultural land, bamboo, secondary forests (765-1,390m above sea level).



**Figure 1.** Pu Luong Nature Reserve in the map of Northern Vietnam (modified from map of Vietnam in Richard Craik & Le Quy Minh, 2018) [4]

book was used in the present study to identify bird species [10, 11, 12] We used mist nettings as a tool to support determining what species are present in a study area. The technique is a valuable component of species inventory because it detects more cryptic, ground-foraging, and non-singing birds than aural or visual surveys [13, 14]. The identification process for avian species was performed at the site or at the Museum of Biology, Hanoi National University of Education (HNUE) for captured and dead species. Taxonomy and nomenclature primarily follow Robson (2015) [12], but we have adopted more recent updates that clearly provide a more thorough perspective on nomenclature and species relationships (Birdlife International, HBW, 2016) [15]. Species conservation status follows the Red List of Threatened Species (IUCN, 2019) at the global level [16].

## Study methods

Frequent site visits, observations and discussions with local people were used to determine bird species in Pu Luong NR. A variety of Vietnam and regional guide



**Figure 2.** Map showing the location of bird survey in Pu Luong Nature Reserve map (detail of each sites see the table 1). (modified from map of Pu Luong Nature Reserve).

## RESULTS

### Bird species recorded from Pu Luong Nature Reserve

In total, 216 bird species belonging to 135 genera, 55 families, 14 orders were recorded in Pu Luong NR over 4 years survey period (2015-2018), including 114 species were taken by photo, 43 species by observation, 31 species were captured - release by mist netting, 28 species specimens (collected from local communities and management board of Pu Luong NR). Our research results updated the birds list in Pu Luong NR to 252 bird species belonging to 58 families and 15 orders (Table 1).

In order to relatively assess the animal geographic relationship between Pu Luong NR and other NR and NP in the North Central Coast, we made a comparison

of bird species diversity between Pu Luong NR with Pu Hu NR [16], Xuan Lien NR [17], Ben En NP [18], Cuc Phuong NR [19], Pu Mat NP [20], Pu Huong NR [21]. Results of analysis and comparison are shown in Table 3. The total number of bird species recorded in 7 NP and NR in these areas is 485 species. Among them there are 89 common bird species recorded with all 7 NP and NR.

### Status residential and distribution

Among of 252 bird species were recorded in this study and previous study in Pu Luong NR, there are 109 species of resident birds, 38 species of winter visitor, onespecies summer visitor, threespecies of passage migrant and onespecies unknown.

**Table 2.** Bird species recorded in Pu Luong Nature Reserve, Thanh Hoa Province, Vietnam, 2015-2018.

S. no.	Scientific name	Common English name	Sources			Residential status	IUCN status
			1998	2013	2018		
<b>1 - Ardeidae</b>							
1.	<i>Ardea alba</i>	Great Egret		x	x	R	LC
2.	<i>Egretta garzetta</i>	Little Egret	x	x	x	R	LC
3.	<i>Bubulcus coromandus</i>	Cattle Egret	x	x	x	R	LC
4.	<i>Ardeola bacchus</i>	Chinese Pond Heron	x	x	x	R	LC
5.	<i>Butorides striata</i>	Striated Heron	x	x	x	R	LC
<b>2 - Ciconiidae</b>							
6.	<i>Anastomus oscitans</i> <sup>(1),(2)</sup>	Asian Openbill Stork			x	WV	LC
<b>3 - Accipitridae</b>							
7.	<i>Aviaceda leuphotes</i>	Black Baza			x	PM	LC
8.	<i>Pernis ptilorhynchus</i> <sup>(2)</sup>	Oriental Honey Buzzard			x	R	LC
9.	<i>Spilornis cheela</i>	Crested Serpent Eagle	x	x	x	R	LC
10.	<i>Circus spilonotus</i> <sup>(2)</sup>	Eastern Marsh-harrier			x	WV	LC
11.	<i>Accipiter trivirgatus</i>	Crested Goshawk	x		x	R	LC
12.	<i>Accipiter badius</i> <sup>(2)</sup>	Shikra			x	R	LC
13.	<i>Accipiter gularis</i>	Japanese Sparrowhawk			x	R	LC
14.	<i>Accipiter virgatus</i>	Besra	x	x		R	LC
15.	<i>Buteo refectus</i>	Himalayan Buzzard			x	WV	LC
16.	<i>Ictinaetus malayensis</i> <sup>(2)</sup>	Black Eagle			x	R	LC
17.	<i>Clanga clanga</i> <sup>(2)</sup>	Greater Spotted Eagle			x	R	VU
18.	<i>Aquila heliaca</i> <sup>(2)</sup>	Imperial Eagle			x	R	VU

19.	<i>Nisaetus cirrhatu</i> <sup>(2)</sup>	Changeable Hawk Eagle				x		R	LC
20.	<i>Nisaetus nipalensis</i> <sup>(2)</sup>	Mountain Hawk Eagle				x		WV	LC
<b>4 - Falconidae</b>									
21.	<i>Microhierax melanoleucos</i>	Pied Falconet	x	x	x			R	LC
22.	<i>Falco severus</i>	Oriental Hobby				x		R	LC
<b>5 - Phasianidae</b>									
23.	<i>Francolinus pintadeanus</i>	Chinese Francolin			x	x		R	LC
24.	<i>Coturnix japonica</i>	Japanese Quail			x	x		R	NT
25.	<i>Arborophila brunneopectus</i>	Bar-Backed Hill	x			x		R	LC
26.	<i>Gallus gallus</i>	Red Junglefowl	x	x	x			R	LC
27.	<i>Lophura nycthemera</i>	Silver Pheasant	x	x	x			R	LC
<b>6 - Charadriidae</b>									
28.	<i>Vanellus vanellus</i>	Northern Lapwing	x					WV	LC
29.	<i>Charadrius alexandrius</i>	Kentish plover			x	x		R	LC
<b>7 - Scolopacidae</b>									
30.	<i>Gallinago gallinago</i>	Common Snipe	x	x	x			R	LC
31.	<i>Actitis hypoleucos</i>	Common Sandpiper	x					WV	LC
<b>8 - Columbidae</b>									
32.	<i>Streptopelia tranquebarica</i>	Red Collared Dove	x	x	x			R	LC
33.	<i>Streptopelia chinensis</i>	Spotted Dove	x	x	x			R	LC
34.	<i>Macropygia unchall</i>	Barred Cuckoo Dove	x					R	LC
35.	<i>Chalcophaps indica</i>	Emerald Dove	x	x	x			R	LC
36.	<i>Treron curvirostra</i>	Thick-billed Pigeon	x	x	x			R	LC
37.	<i>Treron sphenurus</i> <sup>(2), (3)</sup>	Wedge-tailed Green Pigeon					x	R	LC
38.	<i>Treron sieboldii</i> <sup>(2), (3)</sup>	White-bellied Pigeon					x	R	LC
39.	<i>Ducula aenea</i> <sup>(3)</sup>	Green Imperial Pigeon	x				x	R	LC
40.	<i>Ducula badia</i>	Mountain Imperial Pigeon	x	x	x			R	LC
<b>9 - Psittacula</b>									
41.	<i>Psittacula himalayana</i>	Slaty-headed parakeet	x	x	x			R	LC
42.	<i>Psittacula alexandri</i>	Red-breasted parakeet	x				x	R	LC
<b>10 - Cuculidae</b>									
43.	<i>Clamator coromandus</i>	Chestnut-winged Cuckoo	x	x				R	LC
44.	<i>Hierococcyx sparverioides</i>	Large Hawk-Cuckoo			x	x		R	LC
45.	<i>Cuculus micropterus</i>	Indian Cuckoo	x				x	R	LC
46.	<i>Cuculus canorus</i>	Common Cuckoo	x	x	x			R	LC
47.	<i>Eudynamys scolopacea</i>	Asian koel	x	x	x			R	LC
48.	<i>Phaenicophaeus tristis</i> <sup>(3)</sup>	Green-billed Malkoha					x	R	LC
49.	<i>Centropus sinensis</i>	Greater Coucal	x	x	x			R	LC
50.	<i>Centropus bengalensis</i>	Lesser Coucal	x	x	x			R	LC
<b>11 - Tytonidae</b>									



51.	<i>Tyto alba</i> <sup>(2)</sup>	Barn Owl			x		R	LC
<b>12- Strigidae</b>								
52.	<i>Otus spilocephalus</i>	Mountain Scops Owl	x		x		R	LC
53.	<i>Otus lettia</i>	Collared Scops Owl	x	x	x		R	LC
54.	<i>Otus sunia</i> <sup>(2)</sup>	Oriental Scops Owl	x		x		R	LC
55.	<i>Strix leptogrammica</i> <sup>(3)</sup>	Brown Wood Owl				x	R	LC
56.	<i>Glaucidium cuculoides</i>	Asian Barred Owlet	x	x	x		R	LC
57.	<i>Glaucidium brodiei</i>	Collared Owlet	x	x	x		R	LC
<b>13- Caprimulgidae</b>								
58.	<i>Eurostopodus macrotis</i> <sup>(1),(2),(3)</sup>	Great Eared-Nightjar	x		x		R	LC
<b>14 - Apodidae</b>								
59.	<i>Hirundapus caudacutus</i> <sup>(1),(2),(3)</sup>	White-throated Needletail				x	WV	LC
60.	<i>Cypsiurus balasiensis</i>	Asian Palm-Swift	x	x	x		R	LC
61.	<i>Apus pacificus</i>	Pacific Swift	x	x	x		WV	LC
62.	<i>Apus affinis</i> <sup>(1),(2)</sup>	House Swift				x	R	LC
<b>15 - Trogonidae</b>								
63.	<i>Harpactes erythrocephalus</i>	Red-headed Trogon	x	x	x		R	LC
<b>16 - Alcedinidae</b>								
64.	<i>Alcedo hercules</i> <sup>(2),(3)</sup>	Blyth's Kingfisher				x	R	NT
65.	<i>Alcedo atthis</i>	Common Kingfisher	x		x		R	LC
66.	<i>Halcyon pileata</i>	Halcyon pileata	x	x	x		WV	LC
67.	<i>Halcyon smyrnensis</i>	White-throated Kingfisher	x	x	x		R	LC
<b>17 - Meropidae</b>								
68.	<i>Merops viridis</i>	Blue-throated Bee-eater	x		x		PM	LC
69.	<i>Merops philippinus</i>	Blue-tailed Bee-eater	x				PM	LC
<b>18 - Coraciidae</b>								
70.	<i>Coracias benghalensis</i>	Indian Roller	x	x	x		R	LC
71.	<i>Eurystomus orientalis</i>	Dollarbird	x	x	x		R	LC
<b>19 - Upupidae</b>								
72.	<i>Upupa epops</i>	Eurasian Hoopoe				x	R	LC
<b>20 - Bucerotidae</b>								
73.	<i>Anthracoceros albirostris</i>	Oriental Pied Hornbill	x				R	LC
74.	<i>Rhyticeros undulatus</i> <sup>(3)</sup>	Wreathed hornbill				x	R	VU
<b>21 - Ramphastidae</b>								
75.	<i>Megalaima virens</i> <sup>(1),(3)</sup>	Great Barbet				x	R	LC
76.	<i>Megalaima lagrandieri</i>	Red-vented Barbet	x	x	x		R	LC
77.	<i>Megalaima incognita</i>	Green-eared Barbet	x		x		R	LC
78.	<i>Psilopogon franklinii</i>	Golden-throated Barbet	x				R	LC
79.	<i>Megalaima asiatica</i> <sup>(2),(3)</sup>	Blue-throated Barbet				x	R	LC
80.	<i>Megalaima incognita</i> <sup>(2),(3)</sup>	Moustached Barbet				x	R	LC

<b>22 - Picidae</b>						
81.	<i>Sasia ochracea</i>	White-browed Piculet	x	x		R LC
82.	<i>Dendrocopos canicapillus</i>	Grey-capped Pygmy Woodpecker	x	x	x	R LC
83.	<i>Dendrocopos major</i> <sup>(1), (2), (3)</sup>	Great Spotted Woodpecker			x	R LC
84.	<i>Celeus brachyurus</i>	Rufous Woodpecker	x	x	x	R LC
85.	<i>Picus chlorophus</i>	Himalayan Yellownape	x			R LC
86.	<i>Picus flavinucha</i> <sup>(3)</sup>	Greater Yellownape			x	R LC
87.	<i>Picus rabieri</i> <sup>(3)</sup>	Red-collared Woodpecker			x	R NT
88.	<i>Chrysocolaptes lucidus</i>	Greater Flameback	x	x	x	R LC
89.	<i>Blythipicus pyrrhotis</i>	Bay Woodpecker	x		x	R LC
<b>23 - Eurylaimidae</b>						
90.	<i>Psarisomus dalhousiae</i>	Long-tailed Broadbill	x	x	x	R LC
91.	<i>Serilophus lunatus</i> <sup>(3)</sup>	Silver-breasted Broadbill			x	R LC
<b>24 – Pittidae</b>						
92.	<i>Hydromis soror</i>	Blue-rumped Pitta	x			R LC
<b>25 – Hirundinidae</b>						
93.	<i>Hirundo rustica</i>	Eurasian Barn Swallow	x	x		R LC
94.	<i>Cecropis striolata</i>	Striated Swallow		x	x	WV LC
<b>26 - Motacillidae</b>						
95.	<i>Anthus richardi</i>	Richard's Pipit	x			WV LC
96.	<i>Anthus hodgsoni</i> <sup>(3)</sup>	Olive-backed Pipit			x	WV LC
97.	<i>Motacilla alba</i>	White Wagtail	x	x	x	WV LC
98.	<i>Motacilla flava</i>	Western Yellow Wagtail	x	x	x	WV LC
99.	<i>Motacilla cinerea</i>	Gray Wagtail	x	x	x	WV LC
<b>27- Campephagidae</b>						
100.	<i>Coracina javensis</i>	Large Cuckooshrike	x			R LC
101.	<i>Lalage melaschistos</i>	Black-winged Cuckooshrike	x	x	x	R LC
102.	<i>Pericrocotus roseus</i>	Rosy Minivet	x			WV LC
103.	<i>Pericrocotus ethologus</i>	Long-tailed Minivet		x	x	WV LC
104.	<i>Pericrocotus flammeus</i>	Scarlet Minivet	x		x	R LC
105.	<i>Pericrocotus solaris</i> <sup>(1), (2), (3)</sup>	Grey-chinned Minivet			x	R LC
<b>28 – Tephrodornithidae</b>						
106.	<i>Hemipus picatus</i>	Bar-winged Flycatcher-shrike	x	x	x	R LC
<b>29 - Pycnonotidae</b>						
107.	<i>Brachypodius atriceps</i>	Black-headed Bulbul		x		R LC
108.	<i>Pycnonotus melanicterus</i>	Black-crested Bulbul	x		x	R LC
109.	<i>Pycnonotus jocosus</i>	Red-whiskered Bulbul	x	x	x	R LC
110.	<i>Pycnonotus xanthorrhous</i> <sup>(1), (3)</sup>	Brown-breasted Bulbul			x	R LC

111.	<i>Pycnonotus sinensis</i>	Light-vented Bulbul	x		x	R	LC
112.	<i>Pycnonotus aurigaster</i> <sup>(3)</sup>	Sooty-headed Bulbul		x	x	R	LC
113.	<i>Pycnonotus finlaysoni</i>	Stripe-throated Bulbul		x	x	R	LC
114.	<i>Alophoixus ochraceus</i>	Ochraceous Bulbul	x	x	x	R	LC
115.	<i>Alophoixus pallidus</i>	Puff-throated Bulbul			x	R	LC
116.	<i>Iole propinqua</i>	Grey-eyed Bulbul	x	x	x	R	LC
117.	<i>Ixos mccllellandii</i> <sup>(1), (3)</sup>	Mountain Bulbul			x	R	LC
118.	<i>Hemixos flavala</i> <sup>(1), (3)</sup>	Ashy Bulbul	x	x		R	LC
119.	<i>Hypsipetes leucocephalus</i>	Black Bulbul	x	x	x	R	LC
<b>30 - Chloropseidae</b>							
120.	<i>Chloropsis cochinchinensis</i>	Blue-winged Leafbird	x		x	R	NT
121.	<i>Chloropsis hardwickii</i>	Orange-bellied Leafbird	x		x	R	LC
<b>31 - Aegithinidae</b>							
122.	<i>Aegithina tiphia</i>	Common Iora	x	x	x	R	LC
123.	<i>Aegithina vidissima</i>	Green Iora	x	x		R	LC
124.	<i>Aegithina lafresnayei</i>	Great Iora	x			R	LC
<b>32- Cinclidae</b>							
125.	<i>Cinclus pallasii</i> <sup>(2), (3)</sup>	Brown Dipper			x	R	LC
<b>33 - Turdidae</b>							
126.	<i>Myophonus caeruleus</i> <sup>(3)</sup>	Blue Whistling Thrush			x	R	LC
127.	<i>Zoothera dauma</i> <sup>(1), (2), (3)</sup>	Scaly Thrush			x	R	LC
128.	<i>Turdus cardis</i> <sup>(3)</sup>	Japanese Thrush			x	WV	LC
129.	<i>Turdus mandarinus</i>	Chinese Blackbird	x	x	x	WV	LC
130.	<i>Turdus obscurus</i> <sup>(1), (2), (3)</sup>	Eyebrowed Thrush			x	WV	LC
<b>34 - Cisticolidae</b>							
131.	<i>Prinia rufescens</i>	Rufescent Prinia	x	x	x	R	LC
132.	<i>Prinia inornata</i> <sup>(3)</sup>	Plain Prinia	x		x	R	LC
133.	<i>Orthotomus sutorius</i>	Common Tailorbird	x	x	x	R	LC
134.	<i>Orthotomus atrogularis</i>	Dark-necked Tailorbird	x	x	x	R	LC
<b>35 - Phylloscopidae</b>							
135.	<i>Phylloscopus inornatus</i>	Yellow-browed Warbler	x		x	WV	LC
136.	<i>Phylloscopus borealis</i>	Arctic Warbler	x	x	x	WV	LC
137.	<i>Phylloscopus tenellipes</i>	Lanceolated Warbler			x	R	LC
138.	<i>Seicercus valentini</i> <sup>(1), (2), (3)</sup>	Bianchi's Warbler			x	R	LC
139.	<i>Seicercus affinis</i> <sup>(1), (2), (3)</sup>	White-spectacled Warbler			x	WV	LC
140.	<i>Seicercus poliogenys</i> <sup>(1), (2), (3)</sup>	Grey-cheeked Warbler			x	WV	LC
141.	<i>Seicercus castaniceps</i> <sup>(1), (2), (3)</sup>	Chestnut-crowned Warbler			x	R	LC
<b>36 - Cettiidae</b>							
142.	<i>Abroscopus superciliaris</i> <sup>(3)</sup>	Yellow-bellied Warbler	x		x	R	LC
<b>37 - Sylviidae</b>							



143.	<i>Bradypterus mandelli</i>	Russet Bush Warbler			x		R	LC
144.	<i>Locustella lanceolata</i>	Lanceolated Warbler	x				?	LC
<b>38 – Sylviidae</b>								
145.	<i>Paradoxornis gularis</i> <sup>(1),(2),(3)</sup>	Grey-headed Parrotbill				x	R	LC
146.	<i>Chleuasicus atrosuperciliaris</i>	Pale-billed Parrotbill	x				R	LC
<b>39 - Muscicapidae</b>								
147.	<i>Muscicapa dauurica</i>	Asian Brown Flycatcher	x	x	x		WV	LC
148.	<i>Ficedula strophiiata</i>	Rufous-gorgeted Flycatcher	x	x	x		R	LC
149.	<i>Ficedula parva</i>	Red-breasted flycatcher	x	x	x		WV	LC
150.	<i>Cyanoptila cyanomelana</i> <sup>(3)</sup>	Blue-and-white Flycatcher				x	WV	LC
151.	<i>Cyornis concretus</i>	White tailed flycatcher				x	R	LC
152.	<i>Cyornis tickelliae</i> <sup>(2),(3)</sup>	Tickell's Blue Flycatcher	x			x	R	LC
153.	<i>Cyornis unicolor</i> <sup>(2)</sup>	Pale Blue Flycatcher				x	R	LC
154.	<i>Niltava grandis</i> <sup>(1),(2),(3)</sup>	Large Niltava				x	R	LC
155.	<i>Niltava davidi</i>	Fujian Niltava				x	WV	LC
156.	<i>Niltava macgrigoriae</i> <sup>(3)</sup>	Small Niltava				x	R	LC
157.	<i>Culicicapa ceylonensis</i>	Gray-headed Canary-Flycatcher	x	x	x		R	LC
158.	<i>Luscinia calliope</i>	Siberian Rubythroat	x	x	x		WV	LC
159.	<i>Luscinia Sibilans</i>	Rufous-tailed Robin	x	x			WV	LC
160.	<i>Tarsiger cyanurus</i>	Red-flanked Bluetail	x	x			WV	LC
161.	<i>Copsychus saularis</i>	Oriental Magpie Robin	x	x	x		R	LC
162.	<i>Copsychus malabaricus</i>	White-rumped Shama	x	x	x		R	LC
163.	<i>Chaimarromis leucocephalus</i> <sup>(1),(2),(3)</sup>	White-capped Water Redstart				x	R	LC
164.	<i>Myiomela leucura</i>	White-tailed Robin	x			x	R	LC
165.	<i>Enicurus schistaceus</i>	Slaty-backed Forktail	x			x	R	LC
166.	<i>Enicurus leschenaulti</i>	White-crowned Forktail	x				R	LC
167.	<i>Saxicola torquatus</i> <sup>(3)</sup>	Siberian Stonechat				x	WV	LC
168.	<i>Saxicola ferreaus</i>	Grey Bushchat	x	x	x		WV	LC
169.	<i>Monticola gularis</i>	White-throated Rock Thrush	x			x	WV	LC
170.	<i>Monticola solitarius</i>	Blue Rock Thrush	x			x	WV	LC
<b>40 - Rhipiduridae</b>								
171.	<i>Rhipidura albicollis</i>	White-throated Fantail	x	x	x		R	LC
<b>41 - Monarchidae</b>								
172.	<i>Hypothymis azurea</i>	Black-naped Monarch	x			x	R	LC
173.	<i>Terpsiphone paradisi</i>	Asian Paradise Flycatcher	x	x	x		WV	LC
<b>42 - Timaliidae</b>								
174.	<i>Garrulax chinensis</i>	Black-throated Laughingthrush	x	x	x		R	LC
175.	<i>Garrulax perspicillatus</i>	Masked Laughingthrush	x			x	R	LC
176.	<i>Garrulax leucolophus</i>	White-crested Laughingthrush	x	x	x		R	LC
177.	<i>Garrulax monileger</i>	Lesser Necklaced Laughingthrush	x	x	x		R	LC

178.	<i>Garrulax castanotis</i> <sup>(1), (2), (3)</sup>	Rufous-cheeked Laughingthrush				x	R	LC
179.	<i>Garrulax canorus</i>	Chinese Hwamei	x	x	x		R	LC
180.	<i>Pellorneum tickelli</i>	Buff-breasted Babbler	x	x			R	LC
181.	<i>Pellorneum ruficeps</i>	Puff-throated Babbler	x	x			R	LC
182.	<i>Malacopteron cinereum</i>	Scaly-crowned Babbler	x			x	R	LC
183.	<i>Pomatorhinus hypoleucos</i>	Large Scimitar Babbler	x	x	x		R	LC
184.	<i>Pomatorhinus schisticeps</i>	White-browed Scimitar Babbler	x			x	R	LC
185.	<i>Pomatorhinus ruficollis</i> <sup>(3)</sup>	Streak-breasted Scimitar Babbler				x	R	LC
186.	<i>Napothera crispifrons</i>	Limestone Wren Babbler	x			x	R	LC
187.	<i>Napothera brevicaudata</i>	Streaked Wren Babbler	x			x	R	LC
188.	<i>Stachyris rufifrons</i>	Rufous-fronted Babbler	x	x			R	LC
189.	<i>Stachyris nigriceps</i>	Gray-throated Babbler	x	x	x		R	LC
190.	<i>Stachyris striolata</i>	Spot-necked Babbler	x				R	LC
191.	<i>Mixornis gularis</i>	Pin-striped Tit Babbler	x	x	x		R	LC
192.	<i>Timalia pileata</i>	Chestnut-capped Babbler	x	x	x		R	LC
193.	<i>Leiothrix argenteauris</i>	Silver-eared Mesia				x	R	LC
194.	<i>Pteruthius rufiventer</i>	Black-headed Shrike-babbler	x			x	R	LC
195.	<i>Pteruthius flaviscapis</i> <sup>(1),(2)</sup>	White-browed Shrike Babbler				x	R	LC
196.	<i>Actinodura ramsayi</i> <sup>(1),(2),(3)</sup>	Spectacled Barwing				x	R	LC
197.	<i>Minla cyanouroptera</i> <sup>(1), (2), (3)</sup>	Blue-winged minla				x	R	LC
198.	<i>Alcippe castaneiceps</i> <sup>(1), (2), (3)</sup>	Rufous-winged fulvetta				x	R	LC
199.	<i>Alcippe rufogularis</i>	Rufous-throated Fulvetta	x	x	x		R	LC
200.	<i>Alcippe poioicephala</i>	Brown-cheeked Fulvetta	x	x	x		R	LC
201.	<i>Alcippe grotei</i>	Black-browed Fulvetta	x			x	R	LC
202.	<i>Alcippe peracensis</i>	Mountain Fulvetta				x	R	LC
203.	<i>Heterophasia annectans</i> <sup>(1), (2), (3)</sup>	Rufous-backed Sibia				x	R	LC
204.	<i>Yuhina flavicollis</i>	Whiskered Yuhina	x				R	LC
205.	<i>Yuhina nigrimenta</i>	Black-chinned Yuhina				x	R	LC
206.	<i>Erpornis zantholeuca</i> <sup>(1)</sup>	White-bellied Erpornis				x	R	LC
<b>43 - Aegithalidae</b>								
207.	<i>Aegithalos concinnus</i>	Black-throated Tit	x	x	x		R	LC
<b>44 - Paridae</b>								
208.	<i>Parus major</i>	Great Tit	x	x			R	LC
209.	<i>Melanochlora sultanea</i>	Sultan Tit	x	x			R	LC
<b>45- Sittidae</b>								
210.	<i>Sitta frontalis</i>	Velvet-fronted Nuthatch	x				R	LC
211.	<i>Sitta solangiae</i>	Yellow-billed Nuthatch				x	R	NT
<b>46 - Nectariniidae</b>								
212.	<i>Cinnyris jugularis</i> <sup>(3)</sup>	Olive-backed Sunbird				x	R	LC
213.	<i>Aethopyga gouldiae</i> <sup>(1), (2), (3)</sup>	Mrs Gould's Sunbird				x	R	LC

214.	<i>Aethopyga christinae</i>	Fork-tailed Sunbird	x		x	R	LC
215.	<i>Aethopyga nipalensis</i> <sup>(1), (2), (3)</sup>	Green-tailed Sunbird			x	R	LC
216.	<i>Aethopyga saturata</i> <sup>(1), (2), (3)</sup>	Black-throated Sunbird			x	R	LC
217.	<i>Aethopyga siparaja</i>	Crimson Sunbird	x	x	x	R	LC
218.	<i>Arachnothera longirostra</i>	Little Spiderhunter	x		x	R	LC
219.	<i>Arachnothera magna</i>	Streaked Spiderhunter	x	x	x	R	LC
<b>47 - Dicaeidae</b>							
220.	<i>Dicaeum concolor</i>	Nilgiri flowerpecker	x	x	x	R	LC
221.	<i>Dicaeum cruentatum</i>	Scarlet-backed Flowerpecker		x	x	R	LC
<b>48 - Zosteropidae</b>							
222.	<i>Zosterops japonica</i>	Japanese White-eye	x	x	x	R	LC
<b>49 - Oriolidae</b>							
223.	<i>Oriolus traillii</i>	Maroon Oriole			x	R	LC
<b>50 - Irenidae</b>							
224.	<i>Irena puella</i>	Asian Fairy-bluebird	x	x	x	R	LC
<b>51 - Lanidae</b>							
225.	<i>Lanius cristatus</i>	Brown Shrike		x	x	WV	LC
226.	<i>Lanius colluriooides</i>	Burmese Shrike		x	x	R	LC
227.	<i>Lanius schach</i>	Long-tailed Shrike	x		x	R	LC
228.	<i>Lanius tephronotus</i> <sup>(1), (3)</sup>	Grey-backed Shrike			x	WV	LC
<b>52 - Dicruridae</b>							
229.	<i>Dicrurus macrocercus</i>	Black Drongo	x	x	x	R	LC
230.	<i>Dicrurus leucophaeus</i>	Ashy Drongo	x	x		WV	LC
231.	<i>Dicrurus annectans</i>	Crow-billed Drongo	x		x	SV	LC
232.	<i>Dicrurus aeneus</i>	Bronzed Drongo	x		x	R	LC
233.	<i>Dicrurus remifer</i>	Lesser Racket-tailed Drongo	x		x	R	LC
234.	<i>Dicrurus paradiseus</i>	Greater Racket-tailed Drongo	x	x	x	R	LC
<b>53 - Artamidae</b>							
235.	<i>Artamus fuscus</i>	Ashy Woodswallow		x	x	R	LC
<b>54 - Corvidae</b>							
236.	<i>Urocissa flavirostris</i> <sup>(1), (2)</sup>	Gold-billed Magpie			x	R	LC
237.	<i>Urocissa erythrorhyncha</i>	Red-billed Blue Magpie	x	x	x	R	LC
238.	<i>Cissa chinensis</i>	Common Green Magpie	x		x	R	LC
239.	<i>Cissa hypoleuca</i>	Yellow-breasted Magpie	x			R	LC
240.	<i>Dendrocitta formosae</i>	Grey Treepie	x		x	R	LC
241.	<i>Crypsirina temia</i>	Racket-tailed Treepie	x	x		R	LC
242.	<i>Temnurus temnurus</i>	Ratchet-tailed Treepie	x			R	LC
243.	<i>Corvus macrorhynchos</i>	Large-billed Crow	x	x		R	LC
<b>55 - Sturnidae</b>							

244.	<i>Gracula religiosa</i>	Hill Myna	x	x	x	R	LC
245.	<i>Acridotheres grandis</i>	White-vented Myna	x	x	x	R	LC
246.	<i>Acridotheres cristatellus</i>	Crested Myna	x		x	R	LC
247.	<i>Acridotheres tristis</i>	Common Myna			x	R	LC
248.	<i>Gracupica nigricollis</i>	Black-collared Starling	x		x	R	LC
<b>56 - Ploceidae</b>							
249.	<i>Passer montanus</i>	Eurasian Tree Sparrow	x	x	x	R	LC
<b>57 - Estrildidae</b>							
250.	<i>Lonchura striata</i>	White-rumped Munia	x	x	x	R	LC
251.	<i>Lonchura punctulata</i>	Scaly-breasted Munia			x	R	LC
<b>58 - Emberizidae</b>							
252.	<i>Melophus lathami</i> <sup>(2), (3)</sup>	Crested Bunting			x	R	LC

Notes: New record: (1). Additional record for Puluong Nature Reserve; (2). Additional record for Thanh Hoa province; (3). Additional records for Northern Central Coast region; Presence: R. Resident; SV. Summer visitor; WV: Winter visitor; PM. Passage migrant; V. Vagrant; IUCN/BirdLife conservation status: LC. Least Concern; NT. Near Threatened; VU. Vulnerable. S.no. species number; 1998. recorded by Le&Do (1998)[7]; 2013. Recorded by Trinh et al. (2013); 2018. Recorded by authors (2015-2018).

**Table 3.** Comparing the diversity of bird species composition of Pu Luong NR and other NP and NR in the North Central Coast of Vietnam


Information about	Pu Hu NR	Xuan Lien NR	Ben En NP	Cuc Phuong NR	Pu Mat NP	Pu Huong NR	Pu Luong NR
Area (ha)	22,688	23,816	13,887	22,409	93,525	40,187	17,171
Total family	51	53	63	61	58	57	58
Total species	186	186	270	307	325	265	252
No. species recorded for only one NP or NR	1	4	17	34	27	12	15
No. species recorded in all NP and NR				89			
Total species				485			

Notes: NP. National Park; NR. Nature Reserve.

## DISCUSSION

A summary of bird species recorded in eight different study areas in Pu Luong NR shows that the diversity of bird species composition is markedly different. Area 6 on the land mountain range and Area3 on the limestone

mountain range have the most bird species diversity. This is followed by Area 7. The Areas 4 and Area 2 on the limestone mountain range have the least recorded number of bird species (only from 27 to 38 bird species were recorded) (Figure 3).



**Figure 3.** Diversity of bird species from areas in the Pu Luong Nature Reserve (detail of each area, see more in Table 1).

The result has identified nine bird species are important for conservation priority in Pu Luong Nature Reserve base Red list of the International Union for the Conservation of Nature (2019) [16]. Of these, five species listed as Near Threatened and three species listed as Vulnerable. In particular, two species *Aceros undulatus* and *Sitta solangiae* have just been listed in the IUCN Red List since 2018. Therefore, it can be seen that in recent years the forest has been being exploited, the situation of people trapping and hunting birds is still happening. This causes the number of species to be significantly reduced compared to before.

When comparing Pu Luong NR with 6 other NP and NR in the North Central Coast of Vietnam, it shows that Pu Luong NR has area not to large. Pu Luong NR has the highest bird species composition similarity to Pu Hu NR (Table 3). This is explained by Pu Luong NR and Pu Hu NR also located in the Northwest of Thanh Hoa Province, which are two adjacent areas with similar terrain, climate, fauna and area. There are 15 bird species recorded only in Pu Luong NR. The location at the beginning of Pu Luong - Ngoc Son, Ngo Luong - Cuc Phuong limestones mountain range has also created a unique feature for the avifauna of Pu Luong NR.

The results of our study have added 74 new species to Pu Luong NR compared with previous studies by Le & Do (1998) [7] and Trinh et al. (2013) [8]; 41 species are new records for Thanh Hoa Province. Also, 30 species are recorded for the North Central Coast of Vietnam according to "Checklist of the birds of Vietnam" by Vo and Nguyen (1999) [1] and Nguyen and Nguyen (2011) [2] (Table 1).

During the study, 40 bird species not recorded compare with the previous studies by Le and Do (1998) and Trinh

et al. (2013). It is noteworthy that two large-sized birds of the horn family (Great Hornbills and Tickell's Brown Hornbill) were previously inhabited there, which have been recorded in the past, but during the fieldwork we have not seen again. The cause may be that these species have been over-hunted, resulting in reduced numbers of bird populations. On the other hand, the living environment of these birds is the primary forest with large timber trees, which has been over-exploited, so the remaining area is very small (less than 5% of total natural forest area) and is spread in the sheer mountains that difficult to access. So, the field investigation process is very hard to detect a few of these remaining birds.

Pu Luong NR is located at the beginning of the limestone range of Pu Luong - Ngoc Son, Ngo Luong - Cuc Phuong with the highest peak in Pu Luong (1,700m) with the largest lowland limestone mountains forest system remaining in Northern Vietnam. Pu Luong has both tropical vegetation types and subtropical vegetation. The diversity of habitats and food sources has created a diversity of bird species. Therefore, this study has further updated 74 species of birds for the NR. The avifauna in the northeastern limestone range of the NR is characterized by a distinctive bird species. Research in four areas on this mountain range has recorded 151 birds species belonging to 46 families. The group of birds that eat insects most diverse with 131 species, the group of birds that eat plants (soft fruits, seeds, sprout) has 58 species and 23 species of raptors. The dominant species in limestone mountain ecosystems are mainly species in the family Timaliidae (13 species), Muscipidae (12 species), Pycnonotidae (10 species). The families Picidae, Accipitridae, Nectariniidae all have 8 species. The dominant species of limestone mountain ecosystems still belong to the birds that eat insects.

Many bird species of large size have been easy recognized previously in Pu Luong but are no longer recorded in this study such as *Polyplectron bicalcaratum*, *Buceros bicornis*, *Anorrhinus tickelli*, *Harpactes erythrocephalus*, *Cissa hypoleuca*, *Corvus macrorhynchus*. These are the biological indicators that reflect the status quality of the forest. If the negative impacts such as illegal hunting of forest animals, illegal logging, forest land are encroached, narrowed to economic development, free grazing of cattle, making roads etc, the biodiversity will continue to decline. This will directly affect the sustainable development of the locality, especially Thanh Hoa Province, which is frequently affected by natural disasters and floods in the context of global climate change.

## ACKNOWLEDGEMENT

We are grateful to the directorates of the Forest Protection Department of Thanh Hoa Province and Pu Luong Nature Reserve for support of our fieldwork and issuing relevant permits. We thank Ly Ngoc Tu, Vu Thi Tham from HNUE for their assistance in the field. We thank Richard Craik and Le Quy Minh for providing the map. This research was supported by the Ministry of Education and Training (Project B2017-SPH-26) for Nguyen Lan Hung Son. We are grateful to the referee for all the comments and editing of MSS.

## AUTHORS CONTRIBUTIONS

Hung Ngoc Hoang, Son Hung Lan Nguyen and Cu Nguyen were involved in design of the experiments. Hung Ngoc Hoang, Son Hung Lan Nguyen contributed to perform the experiments, analyzed the data and prepared a draft of manuscript. Cu Nguyen supervised the research work. The final manuscript was carefully revised and approved by all authors.

## CONFLICTS OF INTEREST

The authors declare no conflict of interest.

## REFERENCES

- [1] Vo Q, Nguyen C. Checklist of the Birds of Vietnamese, second printed. CRES-VNU, Agricultural Publishing House, Hanoi, 1999.
- [2] Nguyen SLH, Nguyen VT. Complete Checklist of the birds of Vietnam. Agricultural Publishing House, 2011.
- [3] Avibase. Birds Checklist of Vietnam, Bird Studies Canada, Birdlife International, 2019. Downloaded on March 4, 2019 from avibase.bsc-eoc.org.
- [4] Craik R, Le MQ. Birds of Vietnam. Lynx and Birdlife International Field Guides, 2018.
- [5] The Government of the Socialist Republic of Vietnam. Decision No. 1976 QD-TTg dated October 30, 2014. Approving the Planning of the national special use forest system until 2020, with a vision to 2030, 2014.
- [6] Tordoff AW, Tran BQ, Nguyen TD, Le HM (eds.) (2004): Sourcebook of existing and proposed protected areas in Vietnam. Birdlife International in Indochina and Ministry of Agriculture and Rural Development, second edition, Hanoi. CD.
- [7] Le T T and Do T. Animal resources of Pu Luong Nature Reserve. Unpublished report to the Forest Inventory and Planning Institute, Hanoi, 1998.
- [8] Trinh HV. Wild animal species composition, proposed solutions for conservation and development of wild animal species in Pu Luong Nature Reserve, Thanh Hoa province. Institute of Ecology and Works Protection, Hanoi University of Sciences- VNU, 2013.
- [9] Averyanov, LV, Nguyen HT, Phan LK, Do DT and Regalado, JC. Preliminary botanical survey of primary vegetation at Pu Luong Nature Reserve, Thanh Hoa province. Report to the Pu Luong-Cuc Phuong Conservation Limestone Landscape Conservation Project, 2003.
- [10] Nguyen C, Le T T and Karen P. Birds of Vietnamese. Publisher Labour and Society, Ha Noi, 2005.
- [11] Le HM. Birds of Vietnam. Natural Sciences and Technology Publishing House, 2012.
- [12] Robson C. Birds of Southeast Asia, second edition. Christopher Helm, Bloomsbury Publishing, London, 2015.
- [13] Keyes BE and Grue CE. Capturing birds with mist nets: a review. North American Bird Bander. 1982; 7(1): 2-14.
- [14] Bibby CJ, Jones M, Marsden S. Bird Surveys (Expedition Field Techniques Series). Bird Life International, Cambridge, 2000. BirdLife International and Handbook of the Birds of the World. Bird Species Distribution Maps of the World. Version 6.0, 2016.
- [15] The IUCN Red list of threatened species, version 2019-2, IUCN, 2019, sources: www.iucnredlist.org.
- [16] Pu Hu Nature Reserve Management Board. Final Report of Investigation Project of Checklist of fauna and flora of Pu Hu Nature Reserve, Thanh Hoa province, 2013.
- [17] Ngo TX, Le TD. Composition of birds in Xuan Lien Nature Reserve, Thanh Hoa province. Proceeding of the 6<sup>th</sup> National Scientific Conference on Ecology and Biological Resources. Agricultural Publishing House, Hanoi, 2015; pp993-999.
- [18] Ben En National Park Management Board. Final Report of Investigation Project of Checklist fauna and flora of Ben En National Park, Thanh Hoa province, 2014.
- [19] Cu N. Bird list of Cuc Phuong National Park (typed version), 2012.
- [20] Ngo TX. Study on the diversity and some ecological relationships of avifauna in Pu Mat National Park, Nghe and province. PhD thesis in Biology. Institute of Ecology and Biological Resources, 2012.
- [21] Hoang TN. Study on avifauna of Pu Huong Nature Reserve and proposing some management and protection measures. PhD thesis on Biology. Institute of Ecology and Biological Resources, 2011.



This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.